



Functions

Husni



PEARSON

ALWAYS LEARNING



What is a function?

Functions

- From Mathematics we know that functions perform some operation and return one value.
- They "encapsulate" the performance of some particular operation, so it can be used by others (for example, the `sqrt()` function)

Why have them?

- Support divide-and-conquer strategy
- Abstraction of an operation
- Reuse. Once written, use again
- Sharing. If tested, others can use
- Security. Well tested, then secure for reuse
- Simplify code. More readable.

Mathematical Notation

- Consider a function which converts temperatures in Celsius to temperatures in Fahrenheit.
 - Formula: $F = C * 1.8 + 32.0$
 - Functional notation:
F ~ celsius_to_Fahrenheit(C) where
 $\text{celsius_to_Fahrenheit}(C) = C * 1.8 + 32.0$

Python Invocation

- Math: $F = \text{celsius_to_Fahrenheit}(C)$
- Python, the invocation is much the same
`F = celsius_to_Fahrenheit(cel_float)`

Terminology: `cel_float` is the ***argument***

Function definition

- Math: $g(C) = C * 1.8 + 32.0$

- Python

```
def celsius_to_Fahrenheit(param_float):  
    return param_float * 1.8 + 32.0
```

- Terminology: `param_float` is the ***parameter***





FIGURE 6.1 Function parts.

return statement

- The `return` statement indicates the value that is returned by the function
- The statement is optional (the function can return nothing). If no `return`, function is often called a procedure.



Code Listing 6.1
Temp convert

```
1 # Temperature conversion
2
3 def celsius_to_fahrenheit(celsius_float):
4     """ Convert Celsius to Fahrenheit. """
5     return celsius_float * 1.8 + 32
```

Triple quoted string in function

- A triple quoted string just after the def is called a ***docstring***
- docstring is documentation of the function's purpose, to be used by other tools to tell the user what the function is used for. More on that later

Operation

```
F = celsius_to_fahrenheit(C)
```



1. Call copies argument C to parameter param

2. Control transfers to function

```
def celsius_to_Fahrenheit (param):  
    return param * 1.8 + 32.0
```

Operation (con't)

```
F = celsius_to_fahrenheit(C)
```

3. Expression in function is evaluated

4. Value of expression is returned to the invoker

```
def celsius_to_Fahrenheit (param):  
    return param * 1.8 + 32.0
```




FIGURE 6.2 Function flow of control.




Code Listing 6.2
Full Temp Program

```
1 # Conversion program
2
3 def celsius_to_fahrenheit(celsius_float):
4     """ Convert Celsius to Fahrenheit. """
5     return celsius_float * 1.8 + 32
6
7 # main part of the program
8 print("Convert Celsius to Fahrenheit.")
9 celsius_float = float(input("Enter a Celsius temp: "))
10 # call the conversion function
11 fahrenheit_float = celsius_to_fahrenheit(celsius_float)
12 # print the returned value
13 print(celsius_float, " converts to ", fahrenheit_float, " Fahrenheit")
```



Code Listing 6.3
re-implement len

```
1 def length(a_str) :  
2     """Return the length of a_str"""  
3     count = 0  
4     for char in a_str:  
5         count += 1  
6     return count
```



Code Listing 6.4
Count letters in string

check membership in lowercase

- `import string`
- **use** `string.ascii_lowercase`, **string** of lowercase english letters
 - `'abcdefghijklmnopqrstuvwxyz'`
- check if each char is a member (using **in** operator) of `string.ascii_lowercase`
- `char.lower()` before membership (catch Capital Letters that way)

```
1 import string
2
3 def letter_count(a_str):
4     """Return the count of letters in a_str."""
5     count = 0
6     for char in a_str:
7         if char.lower() in string.ascii_lowercase:
8             count += 1
9     return count
```

Word Puzzle

- Find an English language word that has the vowels 'a', 'e', 'i', 'o', and 'u' in sequence

Reading a file of Text

Remember how to work with text files

- The `open` function takes a string (a file name) and a mode ('r' for reading) and returns a file object.
- You can use a for loop on the file object to fetch one line of text at a time (a line ends with a carriage return)



Code Listing 6.5
Open a file to read

Need a list of words

We use a dictionary file (easily found on the web) of english words, one word per line

- open the file
- process each line (a single word)
- this example just prints them all

```
# Print all words in a dictionary file that has one word per line  
  
# open file named "dictionary.txt" for reading ('r')  
data_file = open("dictionary.txt", 'r')  
  
# iterate through the file one line at a time  
for line_str in data_file:  
    print(line_str)
```



Code Listing 6.6

Clean a word

clean the word

- `strip` method removes white space characters from the beginning and end of a string (can remove other chars as well)
 - beginning and end only, not the middle
 - all such characters from either end
 - file line likely has returns or tabs or spaces which might hurt compares
- `lower` method so case won't matter

```
def clean_word(word) :  
    """Return word in lowercase stripped of whitespace."""  
    return word.strip().lower()
```




Code Listing 6.8
Extract Vowels

collect vowels

- collect only vowels as a string, in order from the word, and compare against the reference "aeiou"
 - use `in` operator for membership
 - use `+` operator to concat vowels together

```
def get_vowels_in_word(word) :  
    """Return vowels in string word—include repeats."""  
    vowel_str = "aeiou"  
    vowels_in_word = ""  
    for char in word:  
        if char in vowel_str:  
            vowels_in_word += char  
    return vowels_in_word
```



Code Listion 6.9
Solution to word
problem

```
3 data_file = open("dictionary.txt", "r")
4
5 def clean_word(word):
6     """Return word in lowercase stripped of whitespace."""
7     return word.strip().lower()
8
9 def get_vowels_in_word(word):
10    """Return vowels in string word—include repeats."""
11    vowel_str = "aeiou"
12    vowels_in_word = ""
13    for char in word:
14        if char in vowel_str:
15            vowels_in_word += char
16    return vowels_in_word
17
18 # main program
19 print("Find words containing vowels 'aeiou' in that order:")
20 for word in data_file:    # for each word in the file
21     word = clean_word(word) # clean the word
22     if len(word) <= 6:    # if word is too small, skip it
23         continue
24     vowel_str = get_vowels_in_word(word) # get vowels in word
25     if vowel_str == 'aeiou': # check if you have exactly all
vowels in order
26         print(word)
```

Did functions help?

- Made our problem solving easier (solved smaller problems as functions)
- main program very readable (details hid in the functions)

How to write a function

- ***Does one thing.*** If it does too many things, it should be broken down into multiple functions (refactored)
- ***Readable.*** How often should we say this? If you write it, it should be readable
- ***Reusable.*** If it does one thing well, then when a similar situation (in another program) occurs, use it there as well.

More on functions

- ***Complete***. A function should check for all the cases where it might be invoked. Check for potential errors.
- ***Not too long***. Kind of synonymous with do one thing. Use it as a measure of doing too much.

Rule 8

A function should do one thing

Procedures

- Functions that have no return statements are often called *procedures*.
- Procedures are used to perform some duty (print output, store a file, etc.)
- Remember, return is not required.

Multiple returns in a function

- A function can have multiple `return` statements.
- Remember, the first `return` statement executed ends the function.
- Multiple returns can be confusing to the reader and should be used judiciously.

Reminder, rules so far

1. Think before you program!
2. A program is a human-readable essay on problem solving that also happens to execute on a computer.
3. The best way to improve your programming and problem solving skills is to practice!
4. A foolish consistency is the hobgoblin of little minds
5. Test your code, often and thoroughly
6. If it was hard to write, it is probably hard to read. Add a comment.
7. All input is evil, unless proven otherwise.
8. A function should do one thing.